



MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 13-8-2014 Revision date: 11-4-2024 Supersedes: 23-10-2023 version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : MPM Diesel Detox Professional
Product code : AD08000
Type of product : Additives
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use, Industrial use
Industrial/Professional use spec : Non-dispersive use
Used in closed systems
Use of the substance/mixture : Lubricants and additives
Function or use category : Fuel additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

MPM International Oil Company BV
Cyclotronweg 1
2629 HN Delft - Nederland
T +31 (0)15 2514030
info@mpmoil.com - www.mpmoil.com

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (dermal), Category 1 H310
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

GHS09

CLP Signal word :

Danger.

Contains :

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics.; 2-Ethylhexyl, Nitrate; Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statements (CLP) :

H304 - May be fatal if swallowed and enters airways.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.
P273 - Avoid release to the environment.
P301+P310+P331 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER. Do NOT induce vomiting.
P391 - Collect spillage.
P501 - Dispose of contents/container in accordance with local and national regulations.

EUH-statements :

EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This mixture does not contain any substances that have been assessed as vPvB / PBT according to Regulation (EC) No, 1907/2006, Annex XIII.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments :

Mixture of substances listed below, possibly with non-hazardous additions.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics.	EC-No.: 918-481-9 REACH-no: 01-2119457273-39	$\geq 80 - \leq 95$	Asp. Tox. 1, H304
2-Ethylhexyl, Nitrate	CAS-No.: 27247-96-7 EC-No.: 248-363-6 REACH-no: 01-2119539586-27	$\geq 5 - \leq 10$	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS-No.: 64742-47-8 EC-No.: 926-141-6 REACH-no: 01-2119456620-43	$\geq 1 - \leq 3$	Asp. Tox. 1, H304
2-Ethylhexanol	CAS-No.: 104-76-7 EC-No.: 203-234-3 REACH-no: 01-2119487289-20	< 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Comments : UVCB = Substances of unknown or variable composition, complex reaction products or biological materials."

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General : In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible). If unconscious, place in the recovery position and seek medical advice. Never give an unconscious person water or anything like that.

After inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.

After skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Do not use solvents or thinners.

After eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion : Immediately call a POISON CENTER/doctor. Vomiting: prevent asphyxia/aspiration pneumonia. Do NOT induce vomiting. Symptoms of poisoning may develop several hours following exposure. Victim should be under medical observation for at least 48 hours after exposure.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation : Aspiration of the product into the lungs may cause very serious pneumonia. Symptoms of chemical pneumonia may appear after several hours.

After skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.

After eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. After adequate first aid, no further treatment is required unless symptoms reappear.

After ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Ingestion of large quantities: immediately to hospital. Keep under medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, powder, foam and CO₂.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes.

Explosion hazard : Heating may cause a fire or explosion.

Reactivity in case of fire : Fire will develop dense smoke.

Hazardous decomposition products in case of fire : Carbon dioxide (CO₂). Carbon monoxide (CO).

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : On combustion, forms: carbon oxides (CO and CO₂). On burning: release of (highly) toxic gases/vapours. Do not enter fire area without proper protective equipment, including respiratory protection.

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : If spilled, may cause the floor to be slippery.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

Emergency procedures : Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves. Safety glasses.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.

Other information : Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a closed container.

Storage conditions : Keep container closed when not in use.

Storage temperature : ≤ 40 °C

Storage area : Store in dry, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

2-Ethylhexyl, Nitrate (27247-96-7)

EU - Indicative Occupational Exposure Limit (IOEL)

IOELV TWA (mg/m ³)	5,4 mg/m ³ long term value
IOELV TWA (ppm)	1 ppm long term value

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Ethylhexyl, Nitrate (27247-96-7)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m ³)	5,4 mg/m ³ long term value
WEL TWA (ppm)	1 ppm long term value
2-Ethylhexanol (104-76-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-ethylhexan-1-ol
IOELV TWA (mg/m ³)	5,4 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Ireland - Occupational Exposure Limits	
Local name	2-Ethylhexan-1-ol
OEL (8 hours ref) (mg/m ³)	5,4 mg/m ³
OEL (8 hours ref) (ppm)	1 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	2-ethylhexan-1-ol
WEL TWA (mg/m ³)	5,4 mg/m ³
WEL TWA (ppm)	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information

: Based on ACGIH TLV, a concentration of 5 mg/m³ oilspray (TWA, 8 hour workday) is recommended.

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures:

No additional information available.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety goggles

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Yellow.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 150 – 230 °C
Flammability	: > 251
Explosive properties	: Flammable or explosive vapour/air mixtures may be formed. Product is not explosive.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 62 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: < 20,5 mm ² /s Tests not relevant or not possible due to the nature of the product.
Solubility	: Insoluble in water. Organic solvent:90,9 %
Log Kow	: Not available
Vapour pressure	: 0,1 kPa at 20 °C
Vapour pressure at 50°C	: Not available
Density	: 805,7 kg/m ³ @ 20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Fatal in contact with skin.
Acute toxicity (inhalation) : Not classified

MPM Diesel Detox Professional	
ATE CLP (dermal)	48,2 mg/kg bodyweight
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics.	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat	> 4951 mg/m ³ @ 4h
2-Ethylhexyl, Nitrate (27247-96-7)	
LD50 oral rat	> 960 ml/kg
LD50 dermal rabbit	4820 µg/kg
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	4,82 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1,5 mg/l/4h

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Ethylhexanol (104-76-7)	
LD50 oral rat	2049 mg/kg
LD50 dermal rabbit	1970 mg/kg
LC50 Inhalation - Rat	2,5 mg/l/4h
ATE CLP (oral)	2049 mg/kg bodyweight
ATE CLP (dermal)	1970 mg/kg bodyweight
ATE CLP (vapours)	2,5 mg/l/4h
ATE CLP (dust,mist)	2,5 mg/l/4h

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)

2-Ethylhexanol (104-76-7)	
NOAEL (chronic, oral, animal/male, 2 years)	750 mg/kg bodyweight
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)

2-Ethylhexanol (104-76-7)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)

2-Ethylhexyl, Nitrate (27247-96-7)	
NOAEL (dermal, rat/rabbit, 90 days)	500 mg/kg bodyweight EPA OPP 82-2 (21/28 D)

2-Ethylhexanol (104-76-7)	
NOAEC (inhalation, rat, gas, 90 days)	120 ppm OECD Guideline 413
Aspiration hazard	: May be fatal if swallowed and enters airways.

MPM Diesel Detox Professional	
Viscosity, kinematic	< 20,5 mm ² /s Tests not relevant or not possible due to the nature of the product.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
--	--

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics.

LC50 fish 1	> 100 mg/l @96h Oncorhynchus mykiss
EC50 Daphnia 1	> 100 mg/l @48h Daphnia magna
EC50 other aquatic organisms 1	> 100 mg/l @72h Pseudokirchneriella subcapitata

2-Ethylhexyl, Nitrate (27247-96-7)

LC50 fish 1	2 mg/l @96h fish
EC50 Daphnia 1	12,6 mg/l @48h Daphnia magna
EC50 other aquatic organisms 1	12,6 mg/l @72h Algae
EC50 72h - Algae [1]	3,22 mg/l pseudokirchneriella subcapitata
EC50 72h - Algae [2]	1,57 mg/l Pseudokirchneriella subcapitata

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)

LC50 fish 1	1000 mg/l Oncorhynchus mykiss
EC50 Daphnia 1	1000 mg/l Daphnia magna
EC50 72h - Algae [1]	1000 mg/l Pseudokirchneriella subcapitata

2-Ethylhexanol (104-76-7)

LC50 fish 1	17,1 mg/l @96h Leuciscus idus
LC50 fish 2	17,1 mg/l leuciscus idus melanotus
EC50 Daphnia 1	39 mg/l @48h Daphnia magna
EC50 other aquatic organisms 1	11,5 mg/l @72h Algae Scenedesmus subspicatus
EC50 72h - Algae [1]	28,2 mg/l pimephales promelas
EC50 72h - Algae [2]	16,6 mg/l Desmodesmus subspicatus

12.2. Persistence and degradability

MPM Diesel Detox Professional

Persistence and degradability	Not soluble in water, so only minimally biodegradable.
-------------------------------	--

2-Ethylhexyl, Nitrate (27247-96-7)

Persistence and degradability	Poorly biodegradable.
Biodegradation	0 % @28d

2-Ethylhexanol (104-76-7)

Persistence and degradability	Readily biodegradable.
Biodegradation	> 95 % @5d

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

MPM Diesel Detox Professional

Bioaccumulative potential	Based on available data, the classification criteria are not met.
---------------------------	---

2-Ethylhexyl, Nitrate (27247-96-7)

Bioconcentration factor (BCF REACH)	1332
Log Pow	4,5 – 5,26

2-Ethylhexanol (104-76-7)

Bioconcentration factor (BCF REACH)	25,33
Log Kow	2,9

12.4. Mobility in soil

MPM Diesel Detox Professional

Soil	No additional information available.
------	--------------------------------------

2-Ethylhexyl, Nitrate (27247-96-7)

Log Koc	3,8
---------	-----

12.5. Results of PBT and vPvB assessment

MPM Diesel Detox Professional

This mixture does not contain any substances that have been assessed as vPvB / PBT according to Regulation (EC) No, 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects : The product contains ecotoxic substances, which can have harmful side effects for aquatic organisms, The product contains substances that can cause undesirable long-term side effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Hand over to officially registered waste disposal company. Recycle the material as far as possible. Waste suitable for incineration.
Waste materials	: Dispose of contents/container in accordance with licensed collector's sorting instructions and in accordance to local and regional legislation.
European List of Waste (LoW, EC 2000/532)	: 13 07 03* - other fuels (including mixtures)
HP Code	: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG

14.1. UN number or ID number

UN-No.	: UN 3082
UN-No. (IMDG)	: UN 3082

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878


14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-ethylhexylnitrat)
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-ethylhexylnitrat)
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-ethylhexylnitrat), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-ethylhexylnitrat), 9, III, MARINE POLLUTANT

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR)	: 9
Danger labels (UN)	: 9



IMDG

Transport hazard class(es) (IMDG)	: 9
Danger labels (IMDG)	: 9



14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III


14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: M6
Limited quantities (ADR)	: 5I
Transport category (ADR)	: 3
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: •3Z

Transport by sea

Limited quantities (IMDG)	: 5 L
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out by the registrant

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Danger labels (ADN)	Added	
	Proper Shipping Name (IMDG)	Added	
	Limited quantities (IMDG)	Added	
	EmS-No. (Spillage)	Added	
	EmS-No. (Fire)	Added	
	Proper Shipping Name (IATA)	Added	
	Danger labels (IMDG)	Added	
	Danger labels (ICAO)	Added	
	Comments (below composition)	Added	
1.1	UFI on SDS 1.1	Modified	
1.2	Industrial/Professional use spec	Added	
1.2	Use of the substance/mixture	Added	
1.2	Main use category	Modified	
1.2	Function or use category	Modified	
2.2	Hazard pictograms (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	General	Modified	
4.1	After inhalation	Modified	
4.1	After ingestion	Modified	
4.1	After eye contact	Modified	
4.2	After skin contact	Added	

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
4.2	After inhalation	Added	
4.2	After ingestion	Added	
4.2	After eye contact	Added	
4.2	Symptoms/effects	Removed	
4.3	Treatment	Modified	
5.2	Reactivity in case of fire	Added	
5.2	Hazardous decomposition products in case of fire	Added	
5.2	Fire hazard	Added	
5.2	Explosion hazard	Added	
5.3	EAC code	Added	
5.3	Precautionary measures fire	Added	
5.3	Firefighting instructions	Added	
5.3	Other information	Added	
6.1	Protective equipment	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.1	General measures	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Added	
6.3	Other information	Modified	
6.4	Reference to other sections (8, 13)	Modified	
7.1	Handling temperature	Added	
7.1	Additional hazards when processed	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage temperature	Added	
7.2	Heat and ignition sources	Removed	
7.2	Technical measures	Modified	
7.2	Storage conditions	Modified	
7.2	Storage area	Modified	
7.2	Special rules on packaging	Removed	
8.1	Additional information	Modified	
8.2	Technical measures	Added	
8.2	Environmental exposure controls	Removed	
8.2	Personal protective equipment	Modified	
8.2	Materials for protective clothing	Removed	
8.2	Eye protection	Modified	

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
9.1	Relative evaporation rate (butylacetate=1)	Removed	
9.1	Explosive limits (vol %)	Removed	
9.1	Appearance	Added	
9.1	Flammability (solid, gas)	Added	
9.1	Odour threshold [ppm]	Removed	
9.1	pH	Removed	
9.1	Density	Modified	
9.1	Auto-ignition temperature	Removed	
9.1	Boiling point	Modified	
9.1	Viscosity, kinematic	Modified	
9.2	Additional information	Removed	
9.2	Other properties	Removed	
9.2	VOC content	Removed	
10.1	Reactivity	Modified	
10.2	Chemical stability	Modified	
10.4	Conditions to avoid	Modified	
10.5	Incompatible materials	Modified	
10.6	Hazardous decomposition products	Modified	
11.1	ATE CLP (oral)	Removed	
11.1	LD50 oral rat	Removed	
11.1	Reason for no classification	Removed	
12.1	Ecology - water	Modified	
12.1	General	Removed	
12.2	Persistence and degradability	Modified	
12.3	Bioaccumulative potential	Modified	
12.7	Other adverse effects	Added	
13.1	HP Code	Added	
13.1	European List of Waste (LoW, EC 2000/532)	Modified	
14.1	UN-No. (IMDG)	Added	
14.1	UN-No. (ICAO)	Added	
14.1	UN-No.	Added	
14.2	Proper Shipping Name (ADR)	Added	
14.3	Danger labels (RID)	Added	
14.3	Danger labels (UN)	Added	
14.3	Class (ADR)	Added	
14.4	Packing group (IMDG)	Added	
14.4	Packing group (IATA)	Added	
14.4	Packing group (UN)	Added	

MPM Diesel Detox Professional

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
14.6	Transport category (ADR)	Added	
14.6	Limited quantities (ADR)	Added	
14.6	Tunnel restriction code (ADR)	Added	
14.6	Hazard identification number (Kemler No.)	Added	
14.6	Classification code (ADR)	Added	
15.1	VOC content	Removed	

Full text of H- and EUH-statements	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.