



52000S 4-Stroke Motorcycle Oil 20W-50 Premium Synthetic

Document version: 11 May 2024



Description

MPM 4-Stroke Motorcycle Oil 20W-50 Premium Synthetic super twin motorcycle oil has been specially developed for the lubrication of 4-stroke motorcycles so slipping, sticking and stiff gear changes of the clutch are a thing of the past. This engine oil can also be used in primary chain cases and transmissions where an SAE 20W-50 is required.

According to the specifications of

API SL
JASO MA / MA2

Packaging units

| ART. NR. | VOLUME | ITEMS PER UNIT | ITEMS PER PALLET |
|----------|--------|----------------|------------------|
| 52001S | 1 L | 6 | 450 |
| 52020S | 20 L | 1 | 30 |
| 52060S | 60 L | 1 | 6 |
| 52205S | 205 L | 1 | 2 |
| 52999S | 1000 L | 1 | - |

Standard analyses

| TEST | VALUE | METHOD |
|------------------------------|--------|--------------------|
| Density at 15°C | 0.849 | kg/l |
| Viscosity | 20W-50 | |
| Kinematic Viscosity at 40°C | 140 | mm ² /s |
| Kinematic Viscosity at 100°C | 20.70 | mm ² /s |
| Viscosity Index | 173 | |
| Dynamic Viscosity at -15°C | 1670 | mPa.s |
| Flashpoint COC | 218 | °C |
| Pourpoint | -45 | °C |
| Total Base Number | 7.7 | mgKOH/g |
| Sulphated Ash | 0.94 | mass% |

These characteristics are typical of current production. Variations in these characteristics may occur.